

WOOD LOOK

Treverkmood



MARAZZI



Treverkmood

Treverkmood evokes the charm of reclaimed wood, featuring time-worn grain patterns and pronounced shade variations that create surfaces with authentic character. The 15x90 cm natural surface format and five tones — Rovere, Faggio, Noce, Mogano and Tiglio — offer warm, tactile solutions ideal for interiors with a distinctive identity.


























Treverkmoed Index


Treverkmoood

- Porcelain Stoneware



Faggio

| Formato | Superfici | Codice | Descrizione | Spessore | Rett. | Caratteristiche tecniche | Utilizzo | Premium Tech | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Pezzi per scatola | Mq | Kg | Scatole per pallet | Mq | Kg |
|---------|-----------|--------|---------------------|----------|-------|---------------------------------------|--------------|--------------|----|-----|----------------|---------------|---------------------|------|--------------------|----|-------------------|------|-------|--------------------|-------|--------|
| 15x90cm | Natural | MLNM | Treverkmoood Faggio | MM 08 | | Frost proof, Resistance deep abrasion | Floor & Wall | | R9 | | Class 1 | | | | G | V3 | 8 | 1,08 | 19,95 | 48 | 51,84 | 957,69 |




Mogano

| Formato | Superfici | Codice | Descrizione | Spessore | Rett. | Caratteristiche tecniche | Utilizzo | Premium Tech | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Pezzi per scatola | Mq | Kg | Scatole per pallet | Mq | Kg |
|---------|-----------|--------|---------------------|----------|-------|---------------------------------------|--------------|--------------|----|-----|----------------|---------------|---------------------|------|--------------------|----|-------------------|------|-------|--------------------|-------|--------|
| 15x90cm | Natural | MH05 | Treverkmoood Mogano | MM 08 | | Frost proof, Resistance deep abrasion | Floor & Wall | | R9 | | Class 1 | | | | G | V3 | 8 | 1,08 | 19,79 | 48 | 51,84 | 949,80 |



Noce

| Formato | Superfici | Codice | Descrizione | Spessore | Rett. | Caratteristiche tecniche | Utilizzo | Premium Tech | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Pezzi per scatola | Mq | Kg | Scatole per pallet | Mq | Kg |
|---------|-----------|--------|-------------------|----------|-------|---------------------------------------|--------------|--------------|----|-----|----------------|---------------|---------------------|------|--------------------|----|-------------------|------|-------|--------------------|-------|--------|
| 15x90cm | Natural | MLNP | Treverkmoood Noce | MM 08 | | Frost proof, Resistance deep abrasion | Floor & Wall | | R9 | | Class 1 | | | | G | V3 | 8 | 1,08 | 20,30 | 48 | 51,84 | 974,62 |



Rovere

| Formato | Superfici | Codice | Descrizione | Spessore | Rett. | Caratteristiche tecniche | Utilizzo | Premium Tech | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Pezzi per scatola | Mq | Kg | Scatole per pallet | Mq | Kg |
|---------|-----------|--------|---------------------|----------|-------|---------------------------------------|--------------|--------------|----|-----|----------------|---------------|---------------------|------|--------------------|----|-------------------|------|-------|--------------------|-------|--------|
| 15x90cm | Natural | MLNN | Treverkmoood Rovere | MM 08 | | Frost proof, Resistance deep abrasion | Floor & Wall | | R9 | | Class 1 | | | | G | V3 | 8 | 1,08 | 19,86 | 48 | 51,84 | 953,47 |



Tiglio

| Formato | Superfici | Codice | Descrizione | Spessore | Rett. | Caratteristiche tecniche | Utilizzo | Premium Tech | R | BCR | Pendulum Class | Pend. PTV >36 | Australian pendulum | DCOF | Destinazioni d'uso | V | Pezzi per scatola | Mq | Kg | Scatole per pallet | Mq | Kg |
|---------|-----------|--------|---------------------|----------|-------|---------------------------------------|--------------|--------------|----|-----|----------------|---------------|---------------------|------|--------------------|----|-------------------|------|-------|--------------------|-------|--------|
| 15x90cm | Natural | MLNL | Treverkmoood Tiglio | MM 08 | | Frost proof, Resistance deep abrasion | Floor & Wall | | R9 | | Class 1 | | | | G | V3 | 8 | 1,08 | 20,30 | 48 | 51,84 | 974,44 |

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



Greenguard Certification



CE 001MRZI



ISO 9001



LEED Credits



CE 009MRZI



Green Building Council



FDES



UKCA 001MRZUK



GPP



Declare



UKCA 009MRZUK



EPD Italy



HPD



SASO



ISO 17889-1



CAM Sassuolo

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI