

WOOD LOOK

Vero



MARAZZI




Vero

Marazzi Vero enriches its expressive profile: the Natural, Rovere, Castagno and Quercia colours are now joined by the new Sabbia, Betulla and Larice shades. This extension of the range amplifies the collection's architectural strength by highlighting the concept of authenticity and reinforcing its potential for contemporary internal design inspired by the timeless elegance of wood.



M8FM Magnifica Statuario Mosaico Strip 60x180cm
M7AW Vero Quercia Rt 22x180cm
M5SW Magnifica Moon 60x180cm



M8J5 Terratech Cannella Rt 75x150cm
M7AV Vero Castagno Rt 22x180cm



ME0D Vero Larice Rt 22x180cm



M7AS Vero Rovere Rt 22x180cm
M5P5 Zellige Cielo Lux 10x10cm



M7C0 Vero Rovere Rt 20x120cm
M6AS Moon Anthracite Rt 90x180cm





MEV9 Naturalia Taupe Rt 100x100cm
ME0C Vero Betulla Rt 22x180cm
MOZ5 Grande Marble Look Elegant Black Satin Rt 6Mm 160x320cm



ME0A Vero Sabbia Rt 22x180cm





ME0A Vero Sabbia Rt 22x180cm



ME0A Vero Sabbia Rt 22x180cm
MOZ5 Grande Marble Look Elegant Black Satin Rt 6Mm 160x320cm



MABX Vero Rovere Chevron 11x54cm



MDYH Vero Larice Chevron 11x54cm



M7C0 Vero Rovere Rt 20x120cm
M6AS Moon Anthracite Rt 90x180cm



M7AW Vero Quercia Rt 22x180cm
M6YJ Grande Stone Look Gris Du Gent Satin Rt 6Mm 160x320cm
M6TK Allmarble Golden White Struttura 3D Pavé Satin 40x120cm



M7C0 Vero Rovere Rt 20x120cm
M18S Alchimia White Decoro Arky 60x180cm
M185 Alchimia Grey Struttura Wabi 60x180cm
M17X Alchimia Grey 60x180cm





M5V1 Magnifica Limestone Sand Str Mikado 60x180cm
M5U6 Magnifica Limestone Sand 60x180cm

M7E2 Limestone Sand Rt 75x150cm
M7AW Vero Quercia Rt 22x180cm















M7AV Vero Castagno Rt 22x180cm



M7CN Vero Rovere Grip 20x120cm
M7C0 Vero Rovere Rt 20x120cm



M7CK Vero Quercia Rt 20x120cm
M7AD Magnifica Limestone Taupe Str Mikado 60x180cm



M7AS Vero Rovere Rt 22x180cm







M7AV Vero Castagno Rt 22x180cm



M7CK Vero Quercia Rt 20x120cm





M7AW Vero Quercia Rt 22x180cm
M5S0 Zellige Gesso Lux 10x10cm











Vero Index

M7AW Vero Quercia Rt 22x180cm
M6AZ Moon Anthracite Rt 90x90cm


Vero

- Colorbody Fine Porcelain Stoneware · Porcelain Stoneware




Betulla

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	ME0C	Vero Betulla Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	4	1,62	33,48	36	58,32	1.205,46
11x54cm	Natural	MDYG	Vero Betulla Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	18	0,94	17,16	45	42,44	772,13
20x120cm	Grip	MDZZ	Vero Betulla Grip Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	3	0,72	16,07	60	43,20	964,29
20x120cm	Natural	ME05	Vero Betulla Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	3	0,72	16,26	60	43,20	975,83




Castagno

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M7AV	Vero Castagno Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	4	1,62	32,60	36	58,32	1.173,44
20x120cm	Natural	M7CJ	Vero Castagno Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	3	0,72	16,78	60	43,20	1.006,52
20x120cm	Grip	M7CP	Vero Castagno Grip	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	3	0,72	15,77	60	43,20	946,12
11x54cm	Natural	MA8Y	Vero Castagno Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				H	V2	18	0,94	17,18	45	42,44	772,97



Larice

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	ME0D	Vero Larice Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	4	1,62	33,08	36	58,32	1.190,93
11x54cm	Natural	MDYH	Vero Larice Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	18	0,94	17,08	45	42,44	768,77
20x120cm	Grip	ME01	Vero Larice Grip Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	3	0,72	16,09	60	43,20	965,15
20x120cm	Natural	ME07	Vero Larice Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	3	0,72	15,94	60	43,20	956,17



Natural

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M7AP	Vero Natural Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				H	V2	4	1,62	33,43	36	58,32	1.203,47
20x120cm	Grip	M7CM	Vero Natural Grip	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	3	0,72	15,94	60	43,20	956,17
20x120cm	Natural	M7AY	Vero Natural Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				H	V2	3	0,72	15,94	60	43,20	956,17
11x54cm	Natural	MA8W	Vero Natural Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				H	V2	18	0,94	17,03	45	42,44	766,14



Quercia

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M7AW	Vero Quercia Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	4	1,62	34,41	36	58,32	1.238,74
20x120cm	Natural	M7CK	Vero Quercia Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	3	0,72	15,84	60	43,20	950,49
20x120cm	Grip	M7CS	Vero Quercia Grip	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	3	0,72	16,18	60	43,20	970,57
11x54cm	Natural	MA8Z	Vero Quercia Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				H	V2	18	0,94	17,35	45	42,44	780,65



Rovere

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	M7AS	Vero Rovere Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	4	1,62	32,23	36	58,32	1.160,14
20x120cm	Natural	M7C0	Vero Rovere Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	3	0,72	12,79	60	43,20	767,18
20x120cm	Grip	M7CN	Vero Rovere Grip	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	3	0,72	12,69	60	43,20	761,23
11x54cm	Natural	MA8X	Vero Rovere Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				H	V2	18	0,94	17,26	45	42,44	776,65



Sabbia

Formato	Superfici	Codice	Descrizione	Spessore	Rett.	Caratteristiche tecniche	Utilizzo	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Destinazioni d'uso	V	Pezzi per scatola	Mq	Kg	Scatole per pallet	Mq	Kg
22,5x180cm	Natural	ME0A	Vero Sabbia Rt	MM 10	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	4	1,62	34,45	36	58,32	1.240,32
11x54cm	Natural	MDXS	Vero Sabbia Chevron	MM 09	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	18	0,94	17,37	45	42,44	781,80
20x120cm	Grip	MDZS	Vero Sabbia Grip Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R11B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V2	3	0,72	15,92	60	43,20	955,12
20x120cm	Natural	ME04	Vero Sabbia Rt	MM 10,5	.	Frost proof, Resistance deep abrasion	Floor & Wall	Sublime Sync	R9	> 0.40	Class 1				G	V2	3	0,72	16,00	60	43,20	960,21

Legenda

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Variazioni cromatiche

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Substantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certificazioni



ISO 14001



ISO 50001



ISO 45001



ISO 9001



Green Building Council



GPP



EPD Italy



ISO 17889-1



Recycled Material



Greenguard Certification



LEED Credits



QBUPEC D+



FDES



Declare



HPD



CAM Sassuolo



CAM Finale Emilia



CCC



CAM Fiorano



CE 001MRZI



CE 009MRZI



UKCA 001MRZUK



UKCA 009MRZUK



SASO

© Copyright by Marazzi Group S.r.l., 2023.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

La riproduzione dei colori è approssimativa. Le tabelle con i dati riferiti ai contenuti per scatole ed ai pesi degli imballi sono aggiornate al momento della stampa del catalogo, pertanto i dati elencati possono subire variazioni.

Marazzi Group ha la facoltà esclusiva di modificare e sostituire, anche solo parzialmente i componenti dei sistemi illustrati in questo folder, senza l'obbligo di darne preavviso.



MARAZZI